

RECREATIONAL INTERPRETATIONS
Golden Valley County, North
Dakota

The soils of the survey area are rated in the following tables according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. Not limited indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. Slightly limited indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. Somewhat limited indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. Very limited indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in this table can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas.

The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

RECREATIONAL INTERPRETATIONS
Golden Valley County, North
Dakota

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

RECREATION DEVELOPMENT--Continued
Golden Valley County, North
Dakota

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Camp areas	Picnic areas	Playgrounds	Paths and trails	Golf fairways
3: CHANNEL-----	---	---	---	---	---
HAVRE-----	Severe: flooding	Moderate: dusty flooding	Severe: flooding	Moderate: dusty flooding	Severe: flooding
4: GRASSNA-----	Slight	Slight	Moderate: slope	Slight	Slight
6: GRASSNA VARIANT-	Severe: excess salt wetness	Severe: excess salt wetness	Severe: excess salt wetness	Severe: wetness	Severe: excess salt wetness
9C: CABBA-----	Severe: depth to rock	Severe: depth to rock	Severe: slope depth to rock	Slight	Severe: depth to rock
CHAMA-----	Slight	Slight	Severe: slope	Slight	Moderate: area reclaim thin layer
9D: CABBA-----	Severe: depth to rock	Severe: depth to rock	Severe: slope depth to rock	Slight	Severe: depth to rock
CHAMA-----	Moderate: slope	Moderate: slope	Severe: slope	Slight	Moderate: area reclaim slope thin layer
10F: CABBART-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope depth to rock
BADLAND-----	Severe: excess salt slope depth to rock	Severe: excess salt slope depth to rock	Severe: excess salt slope depth to rock	Severe: erodes easily slope	Severe: excess salt slope depth to rock
11F: BRANDENBURG----	Severe: slope small stones	Severe: slope small stones	Severe: slope small stones	Severe: slope	Severe: slope small stones droughty
CABBART-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope depth to rock
12: HANLY-----	Severe: flooding	Slight	Moderate: flooding	Slight	Moderate: flooding droughty
14F: BAAHISH-----	Severe: slope	Severe: slope	Severe: slope	Moderate: slope	Severe: slope

RECREATION DEVELOPMENT--Continued
Golden Valley County, North
Dakota

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Camp areas	Picnic areas	Playgrounds	Paths and trails	Golf fairways
CABBART-----	Severe: slope	Severe: slope	Severe: slope	Severe: erodes easily	Severe: slope depth to rock
19F: CABBART-----	Severe: slope	Severe: slope	Severe: slope	Severe: erodes easily	Severe: slope depth to rock
CHERRY-----	Moderate: slope	Moderate: slope	Severe: slope	Severe: erodes easily	Moderate: slope
20: CHAMA-----	Slight	Slight	Moderate: area reclaim slope thin layer	Slight	Moderate: area reclaim thin layer
20B: CHAMA-----	Slight	Slight	Moderate: area reclaim slope thin layer	Slight	Moderate: area reclaim thin layer
21C: CHAMA-----	Slight	Slight	Severe: slope	Slight	Moderate: area reclaim thin layer
CABBA-----	Severe: depth to rock	Severe: depth to rock	Severe: slope depth to rock	Slight	Severe: depth to rock
24B: CHERRY-----	Slight	Slight	Moderate: slope	Severe: erodes easily	Slight
24C: CHERRY-----	Slight	Slight	Severe: slope	Severe: erodes easily	Slight
26: DIMMICK-----	Severe: percs slowly too clayey ponding	Severe: percs slowly too clayey ponding	Severe: percs slowly too clayey ponding	Severe: too clayey ponding	Severe: too clayey ponding
35F: FLASHER-----	Severe: area reclaim slope thin layer	Severe: area reclaim slope thin layer	Severe: area reclaim slope thin layer	Severe: slope	Severe: area reclaim slope thin layer
37: GOLVA-----	Slight	Slight	Moderate: slope	Slight	Slight
37B: GOLVA-----	Slight	Slight	Moderate: slope	Slight	Slight
41: GRAIL-----	Slight	Slight	Moderate: slope	Severe: erodes easily	Slight

RECREATION DEVELOPMENT--Continued
Golden Valley County, North
Dakota

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Camp areas	Picnic areas	Playgrounds	Paths and trails	Golf fairways
45: HAVRE-----	Severe: flooding	Moderate: dusty	Moderate: flooding	Moderate: dusty	Moderate: flooding large stones
46: GLENDDIVE-----	Severe: flooding	Slight	Moderate: flooding	Slight	Moderate: flooding
47: KORCHEA-----	Severe: flooding	Slight	Moderate: flooding	Slight	Moderate: flooding
52B: BELFIELD-----	Severe: excess sodium	Severe: excess sodium	Severe: excess sodium	Slight	Severe: excess sodium
55: WANAGAN-----	Slight	Slight	Moderate: slope	Slight	Slight
55B: WANAGAN-----	Slight	Slight	Moderate: slope	Slight	Slight
57C: MOREAU-----	Slight	Slight	Severe: slope	Slight	Moderate: thin layer
WAYDEN-----	Severe: area reclaim thin layer	Severe: area reclaim thin layer	Severe: area reclaim slope thin layer	Slight	Severe: area reclaim thin layer
ABSHER-----	Severe: excess sodium	Severe: excess sodium	Severe: excess sodium	Slight	Severe: excess sodium
72: PARSHALL-----	Slight	Slight	Slight	Slight	Slight
76B: REGENT-----	Slight	Slight	Moderate: slope	Severe: erodes easily	Moderate: thin layer
80B: ABSHER-----	Severe: excess sodium	Severe: excess sodium	Severe: excess sodium	Slight	Severe: excess sodium
81F: CABBART-----	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope depth to rock
ROCK OUTCROP----	Severe: slope depth to rock	Severe: slope depth to rock	Severe: slope depth to rock	Severe: slope	Severe: slope depth to rock droughty
83F: BADLAND-----	Severe: excess salt slope depth to rock	Severe: excess salt slope depth to rock	Severe: excess salt slope depth to rock	Severe: erodes easily slope	Severe: excess salt slope depth to rock
CHERRY-----	Moderate: slope	Moderate: slope	Severe: slope	Severe: erodes easily	Moderate: slope

RECREATION DEVELOPMENT--Continued
Golden Valley County, North
Dakota

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Camp areas	Picnic areas	Playgrounds	Paths and trails	Golf fairways
84: LAWTHER-----	Slight	Slight	Moderate: slope	Severe: erodes easily	Slight
84B: LAWTHER-----	Slight	Slight	Moderate: slope	Severe: erodes easily	Slight
88: SEN-----	Slight	Slight	Moderate: slope depth to rock	Slight	Moderate: depth to rock
88B: SEN-----	Slight	Slight	Moderate: slope depth to rock	Slight	Moderate: depth to rock
89: SHAMBO-----	Slight	Slight	Moderate: slope	Slight	Slight
89B: SHAMBO-----	Slight	Slight	Moderate: slope	Slight	Slight
97B: VEBAR-----	Slight	Slight	Moderate: area reclaim slope thin layer	Slight	Moderate: area reclaim thin layer
97C: VEBAR-----	Slight	Slight	Severe: slope	Slight	Moderate: area reclaim thin layer
99C: BEISIGL-----	Slight	Slight	Severe: slope	Slight	Moderate: thin layer droughty
FLASHER-----	Severe: area reclaim thin layer	Severe: area reclaim thin layer	Severe: area reclaim slope thin layer	Slight	Severe: area reclaim thin layer
VEBAR-----	Slight	Slight	Severe: slope	Slight	Moderate: area reclaim thin layer
99D: BEISIGL-----	Moderate: slope	Moderate: slope	Severe: slope	Slight	Moderate: slope thin layer droughty
FLASHER-----	Severe: area reclaim thin layer	Severe: area reclaim thin layer	Severe: area reclaim slope thin layer	Slight	Severe: area reclaim thin layer

RECREATION DEVELOPMENT--Continued
Golden Valley County, North
Dakota

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Map symbol and soil name	Camp areas	Picnic areas	Playgrounds	Paths and trails	Golf fairways
109B: AMOR-----	Slight	Slight	Moderate: area reclaim slope thin layer	Slight	Moderate: area reclaim thin layer
109C: AMOR-----	Slight	Slight	Severe: slope	Slight	Moderate: area reclaim thin layer
114: GRAIL-----	Severe: excess salt	Severe: excess salt	Severe: excess salt	Slight	Severe: excess salt
GRASSNA-----	Severe: excess salt	Severe: excess salt	Severe: excess salt	Slight	Severe: excess salt
W: WATER-----	---	---	---	---	---

